## RESTORER Crohn's / Ulcerative Colitis Enrollment Form A-R

Data	Patient Name:Birthdate: SSN #: XXX-XX-		Sex: ☐ Male ☐ Female Height: Weig Known Allergies:		kg	
Patient Data	Address:			City:State:Zip:		
ٽة ا	Alternate Caregiver Name:			Phone of Caregiver:		
Data	•			Secondary Insurance:		
Ins.	Policy: Group#:			Policy: Group#:		
Diagnosis	<ul> <li>□ K50.10 Crohn's Disease of large instestine without complications</li> <li>□ K50.80 Crohn's Disease of both small and large instestine without complications</li> <li>□ K50.90 Crohn's Disease, unspecified, without complications</li> </ul>			<ul> <li>□ K51.20 Ulcerative (chronic) proctitis without complications</li> <li>□ K51.30 Ulcerative (chronic) rectosigmoiditis without complications</li> <li>□ K51.50 Left sided colitis without complications</li> <li>□ K51.80 Other ulcerative colitis without complications</li> <li>□ K51.90 Ulcerative colitis, unspecified, without complications</li> <li>□ Other:</li></ul>		
Clinical Information	To expedite prior authorization, please attach PPD results, lab results, clinical office notes, and past treatment history.  Has patient previously been treated for this condition?					
Prescription	Medication	Strength		Directions	Quantity	Refills
	☐ Cimzia®	☐ 200mg/ml PFS☐ 200mg/ml vial☐	☐ Induction: Inject 400r	mg (2 injections) SQ at weeks 0, 2, and 4	#6	0 refills
			☐ Maintenance: Inject 4	400mg (2 injections) SQ every 4 weeks	#2	
	☐ Entyvio®	300mg/20ml vial	☐ Induction: Infuse 300mg intravenously at weeks 0, 2, and 6		#3	0 refills
			☐ Maintenance: Infuse 300mg intravenously every 8 weeks		#1	
	☐ Humira® citrate free	☐ Crohn's Starter Kit (pens only)	Induction: Inject 160mg (2 pens) SQ on day 1, then inject 80mg (1 pen) SQ on day 15		#3	0 refills
		☐ 40mg/0.4ml PFS ☐ 40mg/0.4ml Pen	Maintenance: Inject 40mg SQ once every 2 weeks #2			
	□ Remicade® □ Avsola™ infliximab biosimilar □ Inflectra® infliximab biosimilar □ Renflexis infliximab biosimilar	100mg/20ml vial	☐ Induction: Infuse 5mg/kg intravenously at weeks 0, 2, and 6 Patient weightkg		Quantity Sufficient x3 doses	0 refills
			☐ Maintenance: Infuse 5mg/kg intravenously every 8 weeks Patient weightkg		Quantity Sufficient for 8 weeks	
Supportive	Medication	Strength	Directions		Quantity	Refills
	☐ Dificid®	200mg tablet	Take 1 tablet orally twice daily food for 10 days		#20	
	☐ Xifaxan®	☐ 200mg tablet☐ 550mg tablet	Take tablet(s) orally times per day			
Is patient new to this therapy: □ YES □ NO   Ship to: □ Patient □ Office □ Other   Need by Date:						
Prescriber Data	Prescriber Name:					
	Practice Name:Address:			Contact:Preferred Method: ☐ Phone ☐ Fax ☐ Email Phone:Fax:		
				Email:		
My signature below authorizes Restore Rx, Inc. staff to act as my authorized agent to complete the insurance prior authorization process for my patient listed above. My authorization shall include any required signatures by Restore Rx, Inc. Pharmacists on my behalf to facilitate this process and acknowledge their authorized access to necessary healthcare data to complete said process.						
This prescription will be filled generically unless						

fax referral to: 901-388-0407

phone: 877-388-0507

www.restorerx.com